



YUYAO YOUSEN TOURIST PRODUCTS CO., LTD.

余姚市永生旅游用品有限公司



Address: Damiaozhou Village, Simen Town, Yuyao City, Zhejiang, China
Zip Code: 315480
Tel: +86-0574-62198821; 62621262 (direct line)
Fax: +86-0574-62198821
E-mail: admin@cnyosen.com / sales1@cnyosen.com
Website: www.cnyosen.com / www.yygazebo.en.alibaba.com

YUYAO YOUSEN TOURIST



Full choice of superior tents and top accessories for the best family camping, party experience.
Reliable quality, contemporary design, colors along with comfort and superb craftsmanship.
We are your best choice for outdoor leisure.

www.cnyosen.com



INTRODUCTION

Yuyao Yosen Tourist Products Co., Ltd. is located in Damiaozhou Village, Simen Town, Yuyao City, Zhejiang Province, China. Our manufacturer plant is about 20000 square meters. It's very close to Ningbo and Shanghai ports, take about 1.5 hours drive from Hangzhou Xiaoshan International Airport which is quite convenient by traffic.

YOSEN is a professional manufacturer specializing in outdoor recreational tent series. Since year 2006, YOSEN has already set up and built a modern production plant with advanced facilities as well as professional sales teams. All these enable us to develop, design and work for many OEM/ODM projects.

YOSEN products lines cover garden gazebo, folding canopy, carport canopy and large luxury tents for the purpose of exhibition, outdoor leisure activities, sports racing, advertising promotion and wedding events. Our products are mainly export to Europe, America, Australia, and service worldwide customers. Our company culture is “people-oriented, business integrity, innovation and progress”, enterprise's business philosophy by supplying high quality products with reasonable prices and best professional service. We sincerely welcome customers from worldwide to work together and share the prosperous market in the outdoor industry. Warmly welcome you to visit our factory in any time.

CONTENTS

Pop up Folding Gazebo Canopy Series

01	• • • • •	• YS-FE-AS22501 / YS-FE-AS24301 / YS-FE-A3301
02	• • • • •	• YS-FE-A3302 / YS-FE-A3303 / YS-FE-A3304
03	• • • • •	• YS-FE-A3601 / YS-FE-A3602 / YS-FE-A3603
04	• • • • •	• YS-FE-AC2501 / YS-FE-AC2502 / YS-FE-AC3301 / YS-FE-AC3302
05	• • • • •	• YS-FE-AC3601 / YS-FE-AC3602

Pop up Folding Gazebo Canopy Series

05	• • • • •	• YS-FP-C3301
06	• • • • •	• YS-FP-C3302 / YS-FP-C3303 / YS-FP-E3301
07	• • • • •	• YS-FP-E3303 / YS-FP-E3302 / YS-FP-EF3301
08	• • • • •	• YS-FP-EF3302 / YS-FP-F3301 / YS-FP-F3302
09	• • • • •	• YS-FP-GF3301 / YS-FP-C34501 / YS-FP-C34502
10	• • • • •	• YS-FP-E34501 / YS-FP-F34501 / YS-FP-F34502
11	• • • • •	• YS-FP-F34503 / YS-FP-C3601 / YS-FP-C3602
12	• • • • •	• YS-FP-C3603 / YS-FP-E3601 / YS-FP-EF3601
13	• • • • •	• YS-FP-F3601 / YS-FP-F3602 / YS-FP-F3603
14	• • • • •	• YS-FP-E3901 / YS-FP-HEX3301 / YS-FP-HEX3601

Event Tent/Party Tent/Wedding Tent Series

15	• • • • •	• YS-PT-4X4M
16	• • • • •	• YS-PT-6.8X5M
17	• • • • •	• YS-PT-8.9X6.5M

Car Canopy/Event Tent/Snow Tent Series

18	• • • • •	• YS-CC-3X6M-01 / YS-CC-3X6M-02
19	• • • • •	• YS-CC-4X4M
20	• • • • •	• YS-CC-4X6M
21	• • • • •	• YS-CC-4X6M SNOW TENT
22	• • • • •	• YS-CC-4X8M / YS-CC-4X10M
23	• • • • •	• YS-CC-5X10M
24	• • • • •	• YS-CC-6X6M-01 / YS-CC-6X6M-02
25	• • • • •	• YS-CC-6X8M / YS-CC-6X10M
26	• • • • •	• YS-CC-6X12M

Garden Gazebo Series


27	• •	• YS-GZ2401 / YS-GZ3301 / YS-GZ3302 / YS-GZ3601 / YS-GZ3602 / YS-GZ3901 / YS-GZ3902 / YS-GZ3903
28	• • • • •	• YS-GZ24301 / YS-GZ24302 / YS-GZ24303 / YS-GZ22201



YS-FE-AS22501

Size: 2x2/2.5x2.5m (6.5'x6.5'/8.2'x8.2')
Steel Frame: 25x25/20x20/10x18mm, Powder coated.
Connectors: Push button PP joints design. Plastic base.

Fabric: 210D oxford with silver coated or as requested




SLANT LEG INSTANT



YS-FE-AS24301

Size: 2.4x2.4/3x3m (7.8'x7.8'/10'x10')
Steel Frame: 25x25/20x20/10x18mm, Powder coated.
Connectors: Push button PP joints design. Plastic base.

Fabric: 210D oxford with silver coated or as requested




YS-FE-A3301 (10x10ft)

STRAIGHT LEG INSTANT CANOPY

Size: 3x3m; Center Height: 2.55m
Steel Frame: 25x25/20x20/10x18mm, powder coated.
Connectors: Pull-pin black nylon joints, plastic/metal base.

Fabric: 180g/m2 polyester with PA coated or as requested
WALLS IS OPTIONAL



YS-FE-A3302 (10x10ft)



STRAIGHT LEG INSTANT

Size: 3x3m ; Center Height: 2.55m
Optional Frame:
a) Steel tube 25x25/20x20/10x18mm, powder coated.
b) Steel tube 30x30/25x25/10x18mm, powder coated.
Connectors: Push button PP joints, plastic/metal base.
Fabric: 160g/m2 polyester with or w/o PA coated is optional.



YS-FE-A3303 (10x10ft)




WITH 4SIDES MOSQUITO NET WALLS

Size: 3x3m; Center Height: 2.55m
Steel Frame: Steel tube 30x30/25x25/10x18mm, powder coated.
Connectors: Push button PP joints, plastic/metal base.
Fabric: 210D oxford with silver coated or as requested.
Walls: 4pcs, 210D oxford+ mosquito net.



YS-FE-A3304 (10x10ft)



WAVE EDGE DESIGN FOR VALANCE

Size: 3x3m ; Center Height: 2.55m
Optional Frame:
a) Alu. legs 30x30/25x25mm;
steel powder coated beams 10x18mm.
b) Aluminum Frame: 25x25/20x20/10x18mm.
Connectors: Push button PP joints design, plastic base.
Fabric: 140g/m2 polyester for cover.



YS-FE-A3601 (10x20ft)

Size: 3x6m ;Center Height: 2.6m
Steel Frame:
30x30/25x25/10x18mm with powder coated.
Connectors:Push button PP joints design,plastic base.
Fabric:210D oxford with silver coated or as requested.



STRUCTURE DETAILS



YS-FE-A3602 (10x20ft)

WITH 3SIDES WALLS

Size: 3x6m ;Center Height: 2.6m
Steel Frame: 30x30/25x25/10x18mm with powder coated.
Connectors:Push button PP joints design,metal base.
Fabric:Roof Cover-210D oxford with silver coated.
Walls-210D oxford ; 2pcs with PE window,2pcs full walls.



YS-FE-A3603 (10x20ft)

WITH 4SIDES MOSQUITO NET WALLS

Size: 3x6m ;Center Height: 2.6m
Steel Frame:Steel tube 30x30/25x25/10x18mm,powder coated.
Connectors:Push button PP joints design,plastic base.
Roof Fabric:210D oxford with silver coated or as requested.
Walls:210D oxford+mosquito net,6pcs mesh walls with zippers connect.



YS-FE-AC2501 (8 x 8 ft)



YS-FE-AC2502 (8 x 8 ft)

WITH OR W/D WALLS IS OPTIONAL


Size: 2.5x2.5m;Center Height: 2.6m
Steel Frame: 30x30/25x25/(oval)12x23mm,powder coated.
Connectors:Pull-pin metal joints,metal base.

Fabric: roof cover-260g/m2 polyester with PVC coating
Sidewalls-210D oxford fabric 4pcs/set.



YS-FE-AC3301(10x10ft)

Size: 3x3m ;Center Height: 2.65m
Steel Frame: 30x30/25x25/(oval)12x23mm,powder coated.
Connectors: Pull-pin metal joints,metal base.
Fabric:
210D oxford or 420D oxford with silver is optional.



Windbars for frame strengthen
Weight bag can be fixed gazebo legs
more steady.



YS-FE-AC3302(10x10ft)



Size: 3x3m ;Center Height: 2.65m
Steel Frame: 30x30/25x25/(oval)12x23mm,powder coated.
Connectors: Pull-pin metal joints,metal base.

Roof fabric optional:

-180g/m2 polyester with PA coating
-260g/m2 polyester with PVC coating

Walls fabric optional:

-140g/m2 polyester
-210D oxford



YS-FE-AC3601(10x20ft)

Size: 3x6m ;Center Height: 2.65m
Steel Frame:
 30x30/25x25/(oval)12x23mm,powder coated.
Connectors: Pull-pin metal joints,metal base.
Fabric: 210D oxford or 420D oxford with silver is optional.

W/D WALLS IS OPTIONAL




YS-FE-AC3602(10x20ft)

Size: 3x6m ;Center Height: 2.65m
Steel Frame: 30x30/25x25/(oval)12x23mm,powder coated.
Connectors: Pull-pin metal joints,metal base.
Roof fabric optional:
 -180g/m2 polyester with PA coating
 -260g/m2 polyester with PVC coating
Walls fabric optional:
 -140g/m2 polyester
 -210D oxford



YS-FP-C3301 (10x10ft)

Size: 3x3m ;Center Height: 3.2m
Steel Frame:
 30x30/25x25/(oval) 12x23mm,white powder coated.
Connectors: Pull-pin metal joints,metal base.
Fabric: roof cover-600D oxford with PVC coating.
 Walls-210D oxford fabric,connect with velcro.



YS-FP-C3302 (10x10ft)



Size: 3x3m ;Center Height: 3.2m
Steel Frame:
 30x30/25x25/(oval) 12x23mm,brown powder coated.
Connectors: Pull-pin metal joints,metal base.
Fabric: 180g/m2 polyester with PU coating.
Sidewalls: fabric+brown mosquito net,4pcs walls connect with resin zippers.



YS-FP-C3303



Size: 3x3m ;Center Height: 3.2m
Steel Frame:
 30x30/25x25/(oval)12x23mm,powder coated.
Connectors: Pull-pin metal joints,metal base.
Fabric: 210D oxford or 420D oxford with silver is optional.




YS-FP-E3301



Size: 3x3m ;Center Height: 3.2m
Steel Frame:
 30x30/25x25/(oval) 12x23 or 12x26mm,white powder coated.
Connectors: Pull-pin black nylon joints,metal base.
Fabric: 260g/m2 polyester with PVC coating.



YS-FP-E3302 (10x10ft)




3x3m Half Aluminum Half Steel Frame

Aluminum Legs: 30x30/25x25mm;
Steel cross beams: 12x23mm, powder coated. Plastic Base.
Connectors: Pull-pin strong nylon joints, plastic base.
Fabric: roof cover-600D oxford with PVC coating
sidewalls-210D oxford fabric



YS-FP-EF3302 (10x10ft)



New Design with net air vent on roof

3x3m Pop up Canopy with 2pcs walls
Roof Fabric: 180g/m2 polyester with PA coating.
Sidewalls: 210D oxford for 2pcs full walls



YS-FP-E3303 (10x10ft)



Pop up Canopy with 4 side walls

Size: 3x3m, Center Height: 3.2m
Steel Frame: 30x30/25x25/ (oval) 12x26mm, powder coated.
Connectors: Pull-pin strong nylon joints, metal base.
Fabric: 420D oxford with PVC coating.



YS-FP-F3301 (10x10ft)



**White Sanding Powder Coated Frame
Lengthen inner legs make the frame more**

Size: 3x3m ;Center Height: 3.4m
Steel Frame:
32x32/28x28/(rectangle)12x25mm, white sanding coated.
Connectors: Pull-pin black nylon joints, metal base.
Simple spring button adjuster on the legs.
Fabric: 180g/m2 polyester with PU coating.




YS-FP-EF3301 (10x10ft)




PU seal seams available

Size: 3x3m ;Center Height: 3.3m
Steel Frame: 30x30/25x25/ (oval) 12x23mm, powder coated.
Connectors: Pull-pin strong nylon joints, metal base.
Fabric: 260g/m2 polyester with PVC coating.

Plastic push button for adjustment on the legs, 3level height.



YS-FP-F3302 (10x10ft)




**Smoothly white powder coated frame.
Legs with push button for height adjustment.**

Steel Frame:
32x32/28x28/(rectangle)12x25mm, powder coated.
Fabric: 180g/m2 polyester with PU coating, flame retardant.



YS-FP-GF3301(9.5x9.5ft)



Cheaper Deluxe 9.5x9.5ft Pop up Gazebo

Size: 2.9x2.9m ;Center Height: 3.4m
Steel Frame: Legs tube-30x30/25x25mm
 Cross beams-12x26mm(oval) ,black sanding powder coated.
Connectors:Push button PP connectors,and plastic button adjuster,plastic base.
Fabric: 600D oxford with PVC coating.



YS-FP-C34501 (10x15ft)

10x15ft Pop up Canopy with or w/o walls

Size: 3x4.5m ;Center Height: 3.2m
Steel Frame: 30x30/25x25/(oval) 12x23 or 12x26mm,white powder coated.
Connectors: Pull-pin metal joints,metal base.
Fabric: roof cover-420D oxford with PVC coating.
 walls-210D oxford,4pcs/set.



YS-FP-C34502(10x15ft)



New Design with Legs Cloth

Fabric:420D oxford with silver coated,UV protect.
 2pcs 4.5m zipper doors,2pcs 3m window walls is optional



YS-FP-E34501 (10x15ft)



Size: 3x4.5m ;Center Height: 3.2m
Steel Frame: Legs tube-30x30/25x25mm
 Cross beams-12x26mm (oval) ,white powder coated.
Connectors: Pull-pin heavy duty black nylon connectors,metal base.
Fabric:180g/m2 polyester with PA or PU coating,or as requested.




YS-FP-F34501 (10x15ft)

Lengthen inner legs make the frame more

Size: 3x4.5m ;Center Height: 3.4m
Steel Frame: 32x32/28x28/(rectangle) 12x25mm,white sanding coated.
Connectors: Pull-pin black nylon joints,metal base.
 Simple spring button adjuster on the legs.
Fabric: 180g/m2 polyester with PU coating.



YS-FP-F34502 (10x15ft)



Bright Pink 10x15ft Pop up Canopy Smoothly Pure White Powder Coated

Fabric: 260g/m2 polyester with PVC coating.
Sidewalls: 210D oxford fabric, with 3side walls.



YS-FP-F34503 (10x15ft)



Bright Black Powder Coated Heavy Duty Frame.

Deluxe Push Button on the legs for Height.

Steel Frame: 32x32/28x28/ (rectangle) 12x25mm, black powder coated.

Fabric:

roof cover-260g/m2 polyester with PVC coating,waterproof
Sidewalls-210D oxford fabric or as requested



YS-FP-C3601 (10x20ft)

Size: 3x6m;Center Height: 3.2m

Steel Frame: 30x30/25x25/(oval) 12x23 or 12x26mm, powder coated.

Connectors: Pull-pin metal joints,metal base.

Fabric: Roof cover-260g/m2 polyester with PVC coated .
Sidewalls-210D oxford fabric,6pcs walls.



YS-FP-C3602 (10x20ft)





Mesh window wall and roll up zipper door style

Fabric:

R oof cover-420D oxford with PVC coated or as requested.
Sidewalls-210D oxford or as requested.



YS-FP-C3603 (10x20ft)




3x6m Pop up Party Canopy with legs

Fabric:

420D oxford with silver coated,UV protect.
With or w/o walls is optional.



YS-FP-E3601 (10x20ft)



Simple Spring Button adjuster on the

Size: 3x6m ;Center Height: 3.2m

Steel Frame:


30x30/25x25/(oval) 12x23 or 12x26mm,powder coated.

Connectors:Pull-pin heavy duty black nylon joints,metal base.

Fabric:260g/m2 polyester with PVC coating.



YS-FP-EF3601 (10x20ft)



Push Plastic Button adjuster on the legs

Size: 3x6m ;Center Height: 3.3m

Steel Frame:

30x30/25x25/(oval) 12x23 or 12x26mm,powder coated.

Connectors:

Pull-pin heavy duty black nylon joints,metal base.

Fabric:

180g/m2 polyester with PU coating.with PU seal seams.




YS-FP-F3601 (10x20ft)



Pop up Canopy with double color stitching

Deluxe push button on the legs for adjustment

Size: 3x6m ;Center Height: 3.4m.
Steel Frame: 32x32/28x28/(rectangle) 12x25mm, smoothly white powder coated.
Connectors: Pull-pin black nylon joints, strong metal base.
Fabric: 220g/m2 polyester with PVC coating.



YS-FP-F3602 (10x20ft)

Heavy Duty White Sanding Powder Coated Frame.

Fabric:
Roof cover-180g/m2 polyester with PA coating, or as requested.
Sidewalls-140g/m2 polyester, with 3pcs walls
Steel Frame: 32x32/28x28mm, white sanding powder coated.
Strong Black Nylon Connector with Pull-pin.
Full set walls is optional: 4pcs window walls, 2pcs with zipper.



YS-FP-F3603 (10x20ft)



Size: 3x6m ;Center Height: 3.4m
Steel Frame: 32x32/28x28/(rectangle) 12x25mm, white sanding coated.
Connectors: Pull-pin heavy duty black nylon joints, metal base.
Simple spring button adjuster on the legs.
Fabric: roof cover-260g/m2 polyester with PVC coating.
Sidewalls-210D oxford
4pcs or 6pcs walls is optional



YS-FP-E3901 (10x30ft)



Big Size Pop up Garden Party Canopy. Roof with PU seal seams.



Size: 3x9m ;Center Height: 3.2m
Steel Frame: 30x30/25x25/(oval) 12x26mm, powder coated.
Connectors: Pull-pin heavy duty black nylon connectors, metal base.
Fabric: 260g/m2 polyester with PVC coating.



YS-FP-HEX3301 (10x10ft)

Heavy Duty Bright Aluminum Frame


Size: 3x3m; Center Height: 3.4m
Aluminum Frame: Legs tube 40X40/35.5X35.5/15X30mm
Connectors: Pull-pin heavy duty black nylon joints, steady metal base.
Deluxe Pull-pin button adjuster on the legs.
Fabric: polyester with PU or flame retardant



Hexagon Legs




YS-FP-HEX3601 (10x20ft)



Aluminum Heavy Duty Hexagon Canopy

Deluxe Pull-pin Adjuster On the Legs

Fabric optional:
a) 420D oxford with silver coating, UV treated.
b) 180g/m2 polyester with PU coating.
c) 180g/m2 polyester with PU, CPAI-84 flame retardant.



Y5-PT-4X4M

13'x13'ft Pagoda Style Party Tent

Size: 4x4m, Peak Height: 3.3m

Steel Tube: dia34/34/32mm, spring button metal connectors

Optional Fabric:

a.
Roof cover-180g/m2 polyester with PA coating.
Sidewalls-160g/m2 polyester

b.
Roof cover-260g/m2 polyester with PVC coating.
Sidewalls-210D oxford

Windows: Arch or Square PVC window style.



Y5-PT-6.8X5M

22'x16'ft Arabian Style Party Tent

Size: 6.8x5m, Peak Height: 3.6m

Steel Tube: dia34/34/34mm, spring button metal connectors

Fabric:

Roof cover-180g/m2 polyester with PA coating.
Sidewalls-160g/m2 polyester



YS-PT-8.9X6.5M

29'x21'ft Arabian Style Party Tent

Size: 8.9x6.5m, Peak Height: 3.8m

Steel Tube: dia34/34/34mm, spring button metal connectors

Fabric: Roof cover-260g/m2 polyester with PVC coating.
 Sidewalls-210D oxford



YS-CC-3X6M-01

Extension Event Canopy

Size: 3x6m (3compartments) ;center height: 2.8m

Optional Steel tube:

a) dia34/34/34mm, spring button metal joints

b) dia38/38/38mm, spring button metal joints

Powder Coated tubes

Fabric:

140g/m2 PE or 160g/m2 PE



YS-CC-3X6M-02




YS-CC-4X4M (Valance with wave edge)

Size: 4x4m (2compartments) ; center height: 2.8m

Galvanized Steel tube:
 dia38/38/38mm,spring button metal joints,

Fabric:
 140g/m2 PE or 160g/m2 PE.

3x4M is Available.



YS-CC-4X6M

Size: 4x6m (3compartments) ; center height: 3.1m

Steel tube:
 dia38/38/38mm,spring button metal joints,powder coated.



Fabric:
 roof cover-260g/m2 polyester with PVC coating.
 Sidewalls-210D oxford, with 4side walls.

PE fabric is optional



Y5-CC-4x8M

Size: 4x8m ; center height: 3.1m
 Steel tube: dia38/38/38mm, metal joints,powder coated.
 Fabric:
 roof cover-160g/m2 polyester with PA coating,w/o leg cloth
 Sidewalls-140g/m2 polyester, Square PVC window style
 PE Fabric is optional



euphroe

Y5-CC-4X6M Snow Tent

4x6m Heavy Duty Snow Tent

Size: 4x6m; center height: 3.4m
 Steel tube:
 dia42/28mm, metal joints,powder coated.

Fabric:
 190g/m2 Grey/white double color PE,UV treated.




Y5-CC-4x10M

Size: 4x10m ; center height: 3.1m

Steel tube: dia38/38/38mm, metal joints,powder coated.

Fabric:roof cover-160g/m2 PE.
 Sidewalls-140g/m2 PE, Square PVC window style





Y5-CC-5x10M

Size: 5x10m , Center Height: 3.3m
 Steel tube:
 dia38/38/32mm, metal joints,powder coated.

Fabric:
 roof cover-260g/m2 polyester with PVC coating, waterproof.
 Sidewalls-140g/m2 polyester

Optional Fabric:
 180g/m PE for cover; 160g/m2 PE for walls.



Y5-CC-6x6M-01

Size: 6x6m,center height: 3.6m
 Steel tube:
 dia38/38/32mm,metal joints,powder coated.
 Fabric: 140g/m2 PE or 160g/m2 PE
 Polyester Fabric is optional



Y5-CC-6x6M-02

6x6m Galvanized Carport Canopy with dia28mm ground bars

Size: 6x6m,center height: 3.2m
 Galvanized tube: dia38/38/28mm,metal joints.
 Fabric: 140g/m2 PE or 160g/m2 PE



Y5-CC-6x8M

Size:6x8m,center height: 3.6m

Steel tube:dia38/38/32mm,metal joints,powder coated.

Fabric:180g/m2 PE for cover,160g/m2 PE for walls.




Y5-CC-6x10M

Size:6x10m,center height: 3.6m

Steel tube:dia38/38/32mm,metal joints,powder coated.

Fabric: 260g/m2 polyester with PVC coating for roof and walls.

PE fabric is optional.



Y5-CC-6x12M

Size:6x12m,center height: 3.2m

Galvanized tube:dia38/38/28mm,metal joints.

Fabric:160g/m2 PE for cover;140g/m2 PE for walls



YS-GZ2401
2.4x2.4m PE gazebo
Steel tube:
dia24/18/18mm, PE connector.
Fabric: 90-100g/m2 PE



YS-GZ3301
3x3m PE gazebo
Steel tube:
dia24/18/18mm, PE connector.
Fabric: 90-100g/m2 PE



YS-GZ3302
3x3m polyester gazebo
Steel tube:
dia24/18/18mm, PE connector.
Fabric: 140g/m2 or 160g/m2 polyester



YS-GZ24301
2.4X2.4/3x3m PE gazebo
Steel tube:
dia18/18/18mm, PE connector.
Fabric: 90-100g/m2 PE



YS-GZ24302
2.4X2.4/3x3m Mosquito net gazebo
Steel tube:
dia24/18/18mm, PE connector.
Fabric: 140g/m2 polyester with
mosquito net walls.



YS-GZ24303
2.4X2.4/3x3m Mosquito net gazebo
Steel tube: dia18/18/18mm, PE connector.
Fabric:
150D polyester with mosquito net walls.




YS-GZ3601
3x6m oxford gazebo
Steel tube:
dia31.5/24/18mm, PE connector.
Fabric: 210D oxford



YS-GZ3602
3x6m PE gazebo with 4pcs walls
Steel tube:
dia31.5/24/18mm, PE connector.
Fabric: 90-100g/m2 PE



YS-GZ3901
3x9m PE gazebo w/o walls
Steel tube:
dia31.5/24/18mm, PE connector.
Fabric: 90-100g/m2 PE



YS-GZ3902
3x9m PE gazebo with 8pcs walls
Steel tube:
dia31.5/24/18mm, PE connector.
Fabric: 90-100g/m2 PE



YS-GZ3903
3x9m oxford gazebo with 5pcs window
walls
Steel tube:
dia31.5/24/18mm or dia31.
5/24/24mm, PE connector.
Fabric: 210D oxford



YS-GZ22201
2x2x2m Mosquito net gazebo
Steel tube: dia24/18/18mm, PE connector.
Fabric: 160g/m2 polyester with mosquito net walls